

## DECLARATION OF PERFORMANCE

No. LE\_0892 560 0\_00\_M\_Acetatsilikon Nasszelle

**This is an English translation of the original German wording.  
In cases of doubt, the German version applies**

**1 Unique identification code of the product type:**

acetate silicone bathroom unit  
Art. no. 0892 560 0 bis 0892 560 9; 0892 560 12 till 0892 560 15  
Except 0892 560 10 and 0892 560 11

**2 Intended use(s):**

joint sealants for facade elements  
EN 15651-1: 2012 F-EXT-INT CC  
joint sealants for glazings  
EN 15651-2: 2012 G-CC  
joint sealants for joints in plumbing applications  
EN 15651-3: 2012 S

**3 Manufactured by:**

Adolf Würth GmbH & Co. KG  
Reinhold-Würth-Str. 12-17  
D-74653 Künzelsau, Germany

**4 System(s) of assessment and verification of constancy of performance:**

System 3  
System 3 for testing fire behavior

**5 Harmonized standard:**

EN 15651-1/-2/-3: 2012

**Notified Body or Bodies:**

01213

**6 Declared performance:**

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	Class E	EN 15651-1: 2012 EN 15651-2: 2012 EN 15651-3: 2012
Release of chemicals harmful to health and/or the environment Volatile organic compounds (VOC) contents:	< 1%, 10 g/l	
Resistance to flow	≤ 2 mm	
Loss in volume	≤ 10%	
Durability	Passed	
Determination of tensile properties at maintained extension after immersion in water	No failure	EN 15651-1: 2012 EN 15651-3: 2012
Tensile strength at -30 °C	≤ 0.9 MPa	EN 15651-1: 2012
Tensile properties at maintained extension at -30 °C	No failure	EN 15651-2: 2012
Adhesion and cohesion properties after exposure to artificial light	No failure	EN 15651-2: 2012
Elastic recovery	≥ 70%	
Determination of microbial effects	Class 1	EN 15651-3: 2012

The performance of the above product corresponds to the declared performance. The declaration of performance is issued in compliance with EU Regulation 305/2011 under the sole responsibility of the above manufacturer.

Signed for and on behalf of the manufacturer by:



---

Frank Wolpert  
(Head of Product Management, Authorized Signatory)



---

Dr.-Ing. Siegfried Beichter  
(Head of Quality, Authorized Signatory)

Künzelsau, 4/5/2019